


PageSpeed Insights

Mobile



55 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/images/ajax-loader.gif> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/logo.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon1.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon2.png> (expiration not specified)

Mobile

- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon3.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon4.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide1.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide2.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide3.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide4.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide5.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide6.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide7.jpg> (expiration not specified)
- <http://buttons-config.sharethis.com/js/5a718d6b344b890012fe7a9d.js> (60 seconds)
- <https://www.googletagmanager.com/gtag/js?id=UA-113360502-1> (15 minutes)
- <http://platform-api.sharethis.com/js/sharethis.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 516.4KiB (47% reduction).

- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide7.jpg> could save 117.1KiB (50% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide6.jpg> could save 114.6KiB (42% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide5.jpg>

Mobile

could save 65.6KiB (47% reduction).

- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide2.jpg> could save 62.9KiB (50% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide1.jpg> could save 54.2KiB (48% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide3.jpg> could save 53.3KiB (45% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide4.jpg> could save 42.9KiB (47% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/logo.png> could save 1.5KiB (15% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon2.png> could save 1.2KiB (40% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon3.png> could save 1.1KiB (42% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon1.png> could save 1.1KiB (38% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon4.png> could save 914B (50% reduction).

Consider Fixing:

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 43.5KiB (46% reduction).

- Minifying <http://www.brpinfotech.in/wp-content/themes/brpinfotech/js/jquery.js?ver=4.9.5> could save 39.5KiB (50% reduction) after compression.
- Minifying <http://www.brpinfotech.in/wp-content/themes/brpinfotech/js/bootstrap.js?ver=4.9.5> could save 3.3KiB (24% reduction) after compression.
- Minifying <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0> could save 670B (17% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0>



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

96 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` and 1 others are close to other tap targets final.
- The tap target `Home` and 7 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all

Mobile

devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



59 / 100 Speed

Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 516.4KiB (47% reduction).

- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide7.jpg> could save 117.1KiB (50% reduction).

Desktop

- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide6.jpg> could save 114.6KiB (42% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide5.jpg> could save 65.6KiB (47% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide2.jpg> could save 62.9KiB (50% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide1.jpg> could save 54.2KiB (48% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide3.jpg> could save 53.3KiB (45% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide4.jpg> could save 42.9KiB (47% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/logo.png> could save 1.5KiB (15% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon2.png> could save 1.2KiB (40% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon3.png> could save 1.1KiB (42% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon1.png> could save 1.1KiB (38% reduction).
- Compressing <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon4.png> could save 914B (50% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/images/ajax-loader.gif> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/logo.png> (expiration not specified)

Desktop

specified)

- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon1.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon2.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon3.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/ser-icon4.png> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide1.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide2.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide3.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide4.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide5.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide6.jpg> (expiration not specified)
- <http://www.brpinfotech.in/wp-content/themes/brpinfotech/images/slide7.jpg> (expiration not specified)
- <http://buttons-config.sharethis.com/js/5a718d6b344b890012fe7a9d.js> (60 seconds)
- <https://www.googletagmanager.com/gtag/js?id=UA-113360502-1> (15 minutes)
- <http://platform-api.sharethis.com/js/sharethis.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Desktop](#)

[Minify JavaScript](#) for the following resources to reduce their size by 43.5KiB (46% reduction).

- Minifying <http://www.brpinfotech.in/wp-content/themes/brpinfotech/js/jquery.js?ver=4.9.5> could save 39.5KiB (50% reduction) after compression.
- Minifying <http://www.brpinfotech.in/wp-content/themes/brpinfotech/js/bootstrap.js?ver=4.9.5> could save 3.3KiB (24% reduction) after compression.
- Minifying <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0> could save 670B (17% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.brpinfotech.in/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0>



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Desktop

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).